


Hydraulic CRAWLER Drill



WOLF[®]

Excellence and Tradition in Rock Drilling

Since
1974



The FOX 8-20 hydraulic crawler drill, developed by WOLF, being a versatile and compact equipment, which can be used for different applications, such as quarrying, mining, construction, paver companies, drilling and blasting contractors. As a differential, this equipment presents high productivity and performance, associated with low maintenance and operation cost.

Equipped with 4 Cylinder Diesel Engine, and drifter able to drill up to 3.1/2" (89 mm).



Fox 8-20 Equipment Advantages


- Low diesel consumption;
- High performance;
- Easy operation and simple maintenance;
- Compact equipment;
- Easy and fast tramming;
- Water mist according to Regulatory Mining Standard NRM9.

Technical Features



Working Pressure	2.030 PSI (120 bar)
Rotation Torque	553 lbf/ft (750 Nm)
Rotation Speed	0 - 150 RPM
Weight	566 lb 257 kg
Brand	Cummins
Model	QSB 4.5 Tier 3
Power	130 HP (97 kw)
Cooling	Water
Diesel Capacity	62,9 gal (285 L)
Tram Speed	3.5 MPH (5,6 km/h)
Traction Force	7.700 N.m
Track Ground	47 %
Track Oscillation	6°
Compressor Type	Screw
Working Pressure	105 PSI (7kgf/cm ²)
FAD	180 CFM (5.3 m ³ /min)

Drifter (Top Hammer)



Top Hammer power 19KW

Diesel Engine



4 Cylinders Tier 3

Tramming Features



Track frame oscillation

Compressor Unit



Technical Features

Auto Rod Charger	Continuous Rod Shuffle
Number of Rods	6 + 1
Type	Carousel



Starter Rod 14' (4.3m)



Water Tank
40 Gal (150 l)






Rod Greaser



Dust Collector (Primary and Secondary)
(Optional)

Available Items

Auto Rod Changer	Standard	Digital inclinometer	Optional	
Water Tank	Standard	Nitrogen Charger	Optional	
Automatic Greaser	Standard	Spotlights	Optional	

Drilling Range


Rod Type	T 38 MF T 45 MF		Drilling Diameter	2.1/2" - 3.1/2" (63 - 89 mm)
Hole Depth	95' (29 m)		Rod Length	10' or 12' (3 or 3,6m)
Feed Force	20 KN (4500 LBF)			

Dimensions

Weight	18,800 lbs (8.500 KG)	Width	7' 7" (2.321 MM)	Length	23' 11" (7.300 MM)	Height	12' 2" (3.700 MM)
--------	--------------------------	-------	---------------------	--------	-----------------------	--------	----------------------



COMPACT · HIGH PERFORMANCE · EFFECTIVE · ECONOMIC





www.wolfdrills.com

HEADQUARTER
United States

WOLF Americas

@ info@wolfdrills.com

☎ +1 407 704 - 2051

FACTORY
BRAZIL

Brazil / Indaiatuba-SP

@ info@wolf.com.br

☎ +55 (19) 3825 6530

FÝD= K7 TEMSİLCİSİ



DEMPOGROUP

DEMPO DIŐ TİCARET
LTD.ŐTİ.
Aksinne Mahallesi Karagöz Sk.
No:11/501
Meram / KONYA
Tel : 0332 351 01 44
dempo@dempogroup.com
www.dempogroup.com