

# MIDIPIERRE dt

100-180 HP



## Ideal machine for the maintenance of forest roads

The MIDIPIERRE dt is a compact stone crusher with a light but durable build, which is ideal for maintaining forest roads. This machine fulfills various tasks, such as crushing stones as well as recycling paving material to use as a solid road base. This saves huge material transport costs, making the MIDIPIERRE a very efficient machine!

## Standard version and specifications

- > Crushes stones up to 20 cm [8" ] Ø
- > Tills the soil as deep as 12 cm [4.7"] and deeper, depending on the working conditions
- > Working speed 0-2 km/h
- > ISO 3-point rear linkage cat. 2 central fixed
- > Gearbox 1000 rpm with freewheel
- > Double belt drive
- > Chassis made of wear resistant steel with replaceable plates
- > Adjustable anvil bar and crushing grid
- > Hydraulically operated hood
- > Chain protection
- > Guide skids
- > Rotor with combination of fixed hammers SUPER DUO PROTECT and lateral EXTREME

## Optional configuration and accessories

- > PTO drive shaft with or without torque limiter
- > Hydraulically operated grader blade
- > Gearbox 750 or 540 rpm
- > Hydraulic top link

## Technical requirements

- > Creep speeds (max. 0,5 km/h) or CVT continuously variable transmission
- > Hydraulic three-point tractor linkage



[www.youtube.com/seppimulcher](https://www.youtube.com/seppimulcher)

Specifications - MIDIPIERRE dt	Nominal power 100-180 HP		
	175 cm [69"]	200 cm [78"]	225 cm [88"]
Working width	175 cm [69"]	200 cm [78"]	225 cm [88"]
Overall width	208 cm [82"]	233 cm [92"]	258 cm [102"]
Overall width with blade	240 cm [94"]	265 cm [104"]	290 cm [114"]
Depth	123 cm [48"]	123 cm [48"]	123 cm [48"]
Depth with blade	182 cm [72"]	182 cm [72"]	182 cm [72"]
Height	120 cm [47"]	120 cm [47"]	120 cm [47"]
Weight (base value w/o opt.)	1.865 kg [4,110 lb]	2.095 kg [4,620 lb]	2.320 kg [5,120lb]
Weight with blade (base value)	2.230 kg [4,920 lb]	2.490 kg [5,490 lb]	2.740 kg [6,040lb]
Belts	2 x 6	2 x 6	2 x 6
SUPER DUO PROTECT + EXTREME	2+31+2	2+36+2	2+41+2




Fixed hammer with tips made of tungsten carbide  
SUPER DUO PROTECT




Lateral fixed hammers with tips made of tungsten carbide  
SUPER DUO EXTREME

### MIDIPIERRE dt- features



Adjustable anvil bar & crushing grid to adjust the degree of mulching




**AR400**  
Chassis made of high tensile and wear-resistant steel with replaceable plates



Patented easy to change fixed hammers and hammer supports. Hammers with tungsten carbide tips.













Grader blade (option), hydr. height and rotation adjustment, with hydraulic pneumatic damping incl. lateral extensions



Pressure gauge to control surface pressure of the grader blade

Asymmetric linkage hitch for two attachment options

Skids for collecting material



SEPPi M. SpA/AG Italy  
 Zona Artigianale 1 Handwerkerzone  
 I-39052 Caldaro/Kaltem (BZ)  
 T. +39 0471 963 550  
 www.seppi.com

SEPPi M. USA  
 Division of SEPPi M. SpA  
 9077 Gold Park Drive  
 West Chester, OH 45011  
 T. +1 513 443 6339

[www.youtube.com/seppimulcher](http://www.youtube.com/seppimulcher)



**Türkiye Temsilcisi**



Tel: 0332 351 0144  
 dempo@dempogroup.com  
 www.dempogroup.com